

DS0516

Inventory Transfer User-Site Security



## **Table of Contents**

Table of Contents	2
Problem Definition	
Problem Definition	3
Solution Overview	4
Solution Overview	
Design Features	
User-Site Setup	5
Item Transfer Entry	7
•	



## **Problem Definition**

Problem Definition	CCDA
ACME Co. develops and manufactures molecular diagnostic tests. When QA controlled material is received, it is put into a QA site in GP. Since there are no restrictions on which sites users have access to, and different types of users need to be able to perform inventory transfers, it is possible that a non-QA user could transfer QA controlled material out of the QA site. Generally, ACME may have a need in the future to restrict users to a group of sites in which they work. For example, users who can perform transfers in MA sites versus users who can perform transfers between CT sites.	ACME is not registered for the MFG QA module. One option would have been to use the MFG QA Setup to specify the QA Site, and QA Inspectors to designed "QA Users". However, since this module is not registered this option cannot be pursued. Also, it would be too restrictive for future uses, as it would not support a more general function of controlling users to a certain set of site by geography.



## **Solution Overview**

Solution Overview	CCDA
A simple setup window will be added where User ID-Site ID relationships can be created. The inventory transfer window Site ID fields will be controlled so that the user can only select sites to which they have access.	



## **Design Features**

User-Site Setup	CCDA
The User-Site Setup window is used to create and maintain User – Site relationships.	
Navigation: Tools >> Setup >> Company >> User-Site Setup	
User-Site Setup Done User ID User Site ID LESSONUSERI NORTH ASMITH SOUTH USE USE USE USE USE USE USE USE	
Field         Function           User ID         Enter a User ID, or select one from the Lookup.           Site ID         Enter a Site ID, or select one from the Lookup.   A User ID must be granted access to 2 or more Sites. Before the User-Site Setup window is allowed to close, the system will check if all users in the window have been granted access to at least 2 sites. If not, a warning will appear:	
One or more users are not assigned to multiple sites.	



The window will not close, and the user will have to fix the situation.	
If a user is not granted access to any sites they will not be able to use the Inventory Transfer window. The window will still open, but they will not be able to select any sites for the transfer.	



Item Transfer Entry	CCDA
The Default From/To Sites, and the line From/To Sites will be controlled based on the User- Site Setup window settings. If the user attempts to user a Site to which they do not have access, a warning will be presented:	
You do not have access to this site.	